

# BASTION

*Bastion is a single skin partitioning system ideal for cost-effective enclosures of superior strength and stability.*



LEE  
MODULAR STEEL WALLS  
A TROAX COMPANY

# Bastion is a partitioning system with exceptional strength and durability, which forms a highly secure perimeter.

## Panel Sections -

Available in: full steel, steel/mesh/steel, steel/mesh, full mesh, steel/glass/steel and steel/glass

(Mesh includes expanded sheet)

## Dimensions (mm) -

There are four standard heights available:  
2440, 2745, 3000 and 3660.

Panels are available in widths of:  
300, 400, 500, 600, 700, 800, 900, 1000 and 1200.

## Finish -

All panels are supplied with a TGIC and lead free powder coat, to an average thickness of 70 microns. Partitioning is available in Sandstone BS.08.B.17, Grey BS.0.A.05, Grey RAL7037, White RAL9010 or Blue RAL5010.

However, non-standard and corporate colours are available upon request.





# BASTION



Bastion is an economic heavy duty single skin partition system with superb strength and adaptability. Its robust angle frame makes it the ideal choice for creating a highly secure perimeter around any area.

In typical applications, Bastion prevents enclosed areas from intrusion, keeping the contents safe.

Bastion panels can be multi-tiered to create a truly demountable system that is ideal for any dynamic workspace.



A 40 x 40 x 2.5mm steel angle framework makes for an exceptionally strong single skin partition system.



Lock & handle units are integrated; however there is a selection of locking systems available.





Use of expanded steel sheet gives exceptional strength and security.



# BASTION

## Panel Options

- 1 - Full steel
- 2 - Steel/mesh/steel
- 3 - Steel/mesh
- 4 - Full mesh
- 5 - Steel/mesh door
- 6 - Drop down hatch
- 7 - Steel/glass/steel
- 8 - Steel/glass
- 9 - Steel/glass door



**LEE**  
MODULAR STEEL WALLS

**Lee Manufacturing Ltd** Building 52, Third Ave., Pensnett Trad Est, Kingswinford, West Mids, DY6 7XF, UK.  
Phone: +44 (0)1384 277 441 Fax: +44 (0)1384 273 627 Email: [info.uk@troax.com](mailto:info.uk@troax.com) Web: [www.leewalls.co.uk](http://www.leewalls.co.uk)

A **TROAX** Company